

PRINTING INSTRUCTIONS



We recommend printing at full-scale to check the fit with your tools before ordering.

Option 1: Print this page full-scale on a large-format printer (E-Size, 44 inches X 34 inches).

Option 2: Print page 2 - 19 on 8-1/2 X 11 inch paper and assemble.

Thank You!

THE INFORMATION CONTAINED ON THIS DRAWING IS THE SOLE PROPERTY OF FOAMFIT TOOLS AND MAY NOT BE USED WITHOUT PERMISSION. Copyright 2020 FoamFit Tools



PART NUMBER **F-03671-T**

CAUTION
SUGGESTED DRAWER HEIGHT
2.81 MIN

APPROXIMATE TOP OF TALLEST WRENCH


2.56

← 1.00 IN →

PAGE KEY

| | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
| X | | | | | | | | | |

↑ 1.00 IN ↓



Print on Letter at 100%

DATE CREATED


29 JUN 2020

PART NUMBER


F-03671-T

← 1.00 IN →

PAGE KEY



↑ 1.00 IN ↓



Print on Letter at 100%

DATE CREATED

29 JUN 2020


PART NUMBER

F-03671-T

Print on Letter at 100%

1.00 IN

1.00 IN



PAGE KEY



DATE CREATED

29 JUN 2020

PART NUMBER


F-03671-T

1.00 IN

PAGE KEY



1.00
IN



Print on Letter at 100%


DATE CREATED

29 JUN 2020

PART NUMBER

F-03671-T

Print on Letter at 100%



PAGE KEY

| | | | | |
|--|--|--|--|---|
| | | | | |
| | | | | |
| | | | | X |

DATE CREATED

29 JUN 2020

PART NUMBER


F-03671-T

← 1.00 IN →

PAGE KEY

| | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|
| X | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|

↑ 1.00 IN ↓



Print on Letter at 100%

DATE CREATED

29 JUN 2020

PART NUMBER


F-03671-T

← 1.00 IN →

PAGE KEY



↑
1.00
IN
↓



Print on Letter at 100%

DATE CREATED


29 JUN 2020

PART NUMBER


F-03671-T

1.00 IN

PAGE KEY



1.00
IN



Print on Letter at 100%

DATE CREATED


29 JUN 2020

PART NUMBER


F-03671-T

← 1.00 IN →

PAGE KEY



1.00
IN



Print on Letter at 100%

DATE CREATED

29 JUN 2020

PART NUMBER


F-03671-T

← 1.00 IN →

PAGE KEY

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|---|
| | | | | | | | | | |
| | | | | | | | | | X |

↑ 1.00 IN ↓



Print on Letter at 100%


DATE CREATED

29 JUN 2020

PART NUMBER

F-03671-T

Print on Letter at 100%



PAGE KEY

| | | | | | |
|--|--|--|--|--|---|
| | | | | | X |
|--|--|--|--|--|---|

PART NUMBER **F-03671-T**

DATE CREATED **29 JUN 2020**

1.00 IN

PAGE KEY

| | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|
| X | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

1.00 IN

DATE CREATED
29 JUN 2020

PART NUMBER
F-03671-T

Print on Letter at 100%



← 1.00 IN →

PAGE KEY

| | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|
| X | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

↑
1.00
IN
↓

Print on Letter at 100%



DATE CREATED

29 JUN 2020

PART NUMBER

F-03671-T

← 1.00 IN →

PAGE KEY

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|---|--|
| | | | | | | | | | |
| | | | | | | | | X | |
| | | | | | | | | | |
| | | | | | | | | | |

↑
1.00
IN
↓

Print on Letter at 100%



| | |
|------------------|--------------------|
| PART NUMBER | DATE CREATED |
| F-03671-T | 29 JUN 2020 |

1.00 IN

PAGE KEY



1.00
IN

DATE CREATED
29 JUN 2020

PART NUMBER
F-03671-T

Print on Letter at 100%



1.00 IN

1.00 IN

PAGE KEY
X

Print on Letter at 100%



| | |
|--------------|--------------------|
| PART NUMBER | F-03671-T |
| DATE CREATED | 29 JUN 2020 |

← 1.00 IN →

PAGE KEY

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|---|
| | | | | | | | | | X |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

↑ 1.00 IN ↓

Print on Letter at 100%



PART NUMBER
F-03671-T

DATE CREATED
29 JUN 2020